Xtreme GER 6777, Specification

X-Yachts X-41 OD

LOA: 12,35m – LWL 10,74m – Beam: 3,64 – Draft: 2,5m – Weight 6964 kg (weighed 2013)

IRC TCC 1,117 (2014, Endorsed)

Year Build: 2007 Hull No. 15 Flag: German EU VAT: paid

Sales Price: 169.000 €

Contact: Niels Schoenrock - Mobile: +90 532 505 33 91 - E-Mail: skipper@xtreme-sailing.com

This boat is fully equipped for both racing (IRC and One Design) and cruising. It is in excellent condition, has many extras and a huge wardrobe of sails. All Halyards, trimlines, mainsheet have been replaced in 2013/2014.

Hull:

Bottom treatment: 3 x epoxy/2 x antifouling

Flush mounted sea cocks,

X-Yachts integrated steel girder frame

Wheel steering 150cm (cable system for weight saving, cables renewed 2012)

Deck:

Flush hull to deck joint for comfortable hiking (30mm toe rail forward of mast)

Lifeline height set for improved hiking (conforms to ORC regs)

Race package: carbon spinnaker pole, freely adjustable positioning of pole car, 4 spectra sheets and guys - partly stripped, 2 blocks on pad eyes for sheets, 2 guy lead eyes, pad eyes on rail for barber hauls, pole down haul led to both sides, in-hauler system for Genoa incl. blocks, pad eyes and cam cleats

Removable Anchor locker with electric windlass

Fredriksen Deck Gear

MAST & RIGGING:

Nordic Carbon mast and boom for improved stiffness and stability

Windex and steaming light

Single Line reef system (2)

Rod forestay with Profurl R420 below deck furling system, first installed 2012, Tuff Luff available

Cunningham, Outhaul and Vang led back both sides of coachroof

Back stay system X-Yachts "Magic Wheel" Ratio 1:45 as on IMX-40

Mast jack hydraulic arrangement, including reinforcement, bushings and bar

Masthead spinnaker preparation and topping lift with halyard, halyard block and jammer

German mainsheet system

WINCHES:

Primary: Harken 48.2A

Mainsheet: Harken B40.2STA Halyards: Harken B40.2STQ

INSTRUMENTS:

B+G H3000 race base pack consiting of:

Mounted on strb side of companionway: 1 x NMEA full function display (GFD)

Mounted on port side of companionway: 1 x Non NMEA full function display (GFD)

Mounted in the hull: speed (paddle wheel) and echo transducer

Mounted in the boat: main Hercules processor and Halycon 2000 compass sensor

Mounted on mast bracket: 3 x 20/20 display

H3000 Autopilot

NMEA compatible Remote Vision System with base station at nav station

Mounted at nav station: Simrad CP31 Colour chart plotter 6" screen with GPS antenna

Compass SUUNTO 100mm B-116, mounted on cockpit bulkhead

Simrad RD68 DSC/VHF at Chart Table

Simrad 4KW Radar Radome mounted on port spreader

IRC sails:

Banks:

Membrane Carbon light jib (J1) - 2007

Membrane Carbon medium heavy jib (J2) - 2008

Membrane double tafettta heavy jib (J4) - 2008

A1 – asymmetric reacher – 2007

S2 – symmetric runner2007

S3 – symmetric heavy reacher – 2007

North:

S1.5 symmetric spi – 2008

S4 symmetric heavy runner - 2008

One Design sails (Banks)

P-Brane Mainsail with 2 reef points - 2014

Membrane Carbon mainsail with one reef point – 2009

Membrane Carbon light jib (J1) - 2008

Membrane Carbon medium heavy jib (J2) – 2008

Membrane Carbon medium heavy jib (J2H) - 2008

P-Brane heavy Jib (J3), horizontal and vertical batten pockets (furlable) - 2014

S1 – light symmetric reacher - 2009

S2 - light symmetric runner - 2009

Transfer/Cruising Dacron sails (Banks):

Mainsail with 3 reef points - 2007

Furling jib - 2007

Storm Sails (Banks):

Storm jib - 2007

Trysail - 2007

Engine:

40hp 4 cylinder Volvo Penta770 operating hours2 bladed folding propeller

Interior:

Removable Table
2 x removable lockers in saloon
3 cabins, 8 berths
Upholstery completely renewed in 2012, beige
Large chart table

Plumbing/Installations:

Cold/hot pressurized water system

Hotwater container (15ltr) connected to cooling water of engine with an additional 220V immersion heater

Holding tank, self draining and with deck outlet

Electrical shower sump pump for head

Hot/Cold shower in cockpit

2-flame gas stove with oven

Eberspaecher Airtronic D4 Diesel heater with three outlets

Electrical:

230V Shore Power with charger
One 230V plug outlet at navigation area
Cooling unit for refrigerator, renewed in 2012
CD/MP3 Stereo Radio with internal/cockpit speakers

Safety Accessoires:

10 man life raft

1 Offshore set of Flares

1 First Aid Kit

2 x Jack Lines

2 x fire extinguishers

1 fire blanket

Other Equipment:

Fenders, lines, anchors, rode, 30m chain Owners manual 1 x gas cylinder Boom cover and sun cover beige Wheel cover in dark blue Spray hood

Status: 01/2015